5 2.60/9:12/6

Morbidity and Mortality

Weekly

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

634-51

For release February 15, 1963

ATLANTA 22, GEORGIA

Vol. 12, No. 6

FEB 1993

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED FEBRUARY 9, 1963

INFLUENZA - Outbreaks of influenza-like illness have now been reported from the District of Columbia and thirteen States including North Carolina, Maryland, Virginia, Delaware, Kansas, Illinois, Georgia, Maine, Vermont, South Carolina, New York, Ohio, and Massachusetts. Influenza Azvirus has been isolated or confirmed by serologic titer rise as the causative agent of outbreaks in the District of Columbia, Maryland, Kansas, North Carolina, New York and at the Great Lakes Naval Training Station in Illinois. Currently influenza is most active in the Middle West and Southwest States.

The number of pneumonia-influenza deaths reported weekly by 108 cities has remained above the epidemic threshold for the last 5 weeks with a sharp upswing for the week ending February 9. Excess pneumonia-influenza deaths have increased sharply in the last week in the Middle and South Atlantic States. The greatest excess has occurred in the sample cities of Richmond, Virginia, Baltimore, Maryland, Washington, D. C. and New York City, all areas in which the presence of  $A_2$  (Asian) influenza has been confirmed.

No further outbreaks of influenza-like disease have been reported this week from Maine, Vermont, Illinois, Kansas, or Georgia, areas in which limited outbreaks were reported in previous weeks. (See MMWR Vol. 12, Nos. 4, 5). The following reports come from areas of the country currently experiencing influenza-like disease.


Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES

(Cumulative totals include revised and delayed reports through previous week)

		6th Wee	k	Cumulative					
Disease	Ended	Ended	Median	First 6 weeks					
	February 9,	February 10,	1958 - 1962			Median			
	1963	1962		1963	1962	1958 - 1962			
Aseptic meningitis	1.0	11		145	0.5				
Brucellosis	15	11	11	145	85 28	69			
Diphtheria	4	, 8	13	36	81	119			
Encephalitis, infectious	23	23	23	109	155	131			
Hepatitis, infectious and serum	1,188	1,515	688	6,495	8,935	4,228			
Measles	11,172	12,404	11,482	50,516	54,031				
Meningococcal infections	67	60	54	331	312	54,031 326			
Poliomyelitis, total	6	6	10	23	52	116			
Paralytic	0	2	9	20	32	67			
Nonparalytic	J		1	20 2	32	38			
Unspecified	- 1	4	1	2					
Streptococcal sore throat	1	4	-	1	12	11			
and Scarlet fever	10,231	9,081		52,316	49,214				
Tetanus	3	1		23	16				
Tularemia	3	5		26	39				
Typhoid fever	4	8	8	29	42	50			
Typhus fever, tick-borne,	·					]			
(Rocky Mountain spotted)	-	-		-	2				
Rabies in Animals	63	73	73	329	374	467			

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax: Botulism: Malaria: Conn1 Plague:	Cum.	Psittacosis: Minn1, Calif1 Rabies in Man: Smallpox: Typhus, murine:	Cum. 10 - -	
---	------	--	----------------------	--



New York City — The first confirmed isolations of  $A_2$  influenza virus in New York City were made during the week of January 28. To date, eleven  $A_2$  isolates have been reported from the city, five of which came from specimens collected during an epidemic of influenza-like illness in a children's institution in Manhattan. Over 100 children in a population of 500 were affected. Pneumonia-influenza deaths for New York City have been well above expected levels during the month of January, with a rather sharp rise for the week ending February 1, as shown in the following table.

PNEUMONIA-INFLUENZA DEATHS - NEW YORK CITY

	Tolero	nce Zone		Observed		
Week Ending	Upper	Lower	Expected			
Dec. 28	55.0	98.8	76.9	75		
Jon. 4	55.9	100.1	78.0	101		
11	55.7	99.9	77.8	102		
18	54.9	98.7	76.8	94		
25	53.2	96.4	74.8	102		
Feb. 1	51.7	94.5	73.1	121		

(Reported by Harold T. Fuerst, M.D., Director, Bureau of Preventable Diseases, New York City Department of Health.)

Washington, D. C. – Industrial absenteeism continues high in the District of Columbia although school absenteeism has declined over the last week. Seventeen  $A_2$  influenza isolates have been obtained from cases in this area.

(Reported by Dr. Frederick C. Heath, Deputy Director of Public Health, District of Columbia Department of Public Health.)

Total cases of influenza-like disease reported to State health officials rose to over 9,000 for the week ending February 9, as compared to a total of approximately 4,500 for the previous week. This is the third consecutive week in which there has been an increase in reported influenza-like disease. Principal foci of epidemic activity continue to be in counties adjoining the cities of Richmond, Newport News, and Washington, D. C., as well as in several rural areas along the North Carolina border. Only the western portion of the State has been free of community-wide outbreaks thus far, although a small number of cases

Influenza-like Illness - Virginio - Follow-up Report-

Serologic confirmation of recent infection with A<sub>2</sub> influenza virus has been obtained thus far in three cases from the Richmond area. Additional specimens have been submitted from numerous other parts of the State and are currently being processed.

has recently been reported from the city of Lynchburg,

approximately 100 miles west of Richmond.

(Reported by James B. Kenley, M.D., Director, Bureau of Epidemiology, Virginia State Department of Health.)

Maryland – Influenza in Baltimore seems to be waning, with school and industrial absenteeism returning to normal in many parts of the city. Frederick County is presently reporting the wide-spread occurrence of influenza-like illness. Two isolates of influenza A2 virus have been obtained at Fort Detrick.

(Reported by Dr. John H. Janney, Acting Chief, Division of Epidemiology, Maryland Department of Health.)

**Pelaware** — Outbreaks of influenza-like diseases have recently been observed in four communities in the State

of Delaware. Schools serving these areas have noted abnormally high absenteeism during the past two weeks with absence rates varying between 12 and 18 percent. Industrial absenteeism has not been abnormal thus far. The illness is described as clinically compatible with influenza, although laboratory confirmation has not been obtained.

(Reported by Floyd Hudson, M.D., Acting Director, Preventable Diseases, Delaware State Board of Health.)

South Corolina - Three counties (Dillon, Chesterfield and Horry) (all in the vicinity of the original North Carolina influenza focus) experienced widespread influenza-like illness in school children and in the elderly toward the end of January. Two counties in the central part of the State experienced abnormally high school

absenteeism in the last week. No excess school or industrial absenteeism has occurred in the larger cities. Laboratory studies are in progress.

(Reported by Dr. G. E. McDaniel, Director, Division of Disease Control, South Carolina State Board of Health.)

North Carolina - Influenza has continued epidemic throughout the State with increased involvement of counties in the West Central portion of the State during the last week.

(Dr. Jacob Koomen, Assistant Secretary and State Health Director, North Carolina State Board of Health.)

(Continued on page 48)


#### PNEUMONIA AND INFLUENZA DEATHS

During the week ending February 9 there were 705 pneumonia-influenza deaths reported in the 108 cities, an excess of 157 over the expected number of 548. This number of excess deaths is greater than the peak number of 147 excess deaths during the week ending March 3 of the 1962 epidemic of influenza B, but considerably less than the 508 excess deaths during each of the weeks ending February 13 and 20, 1960, the peak of the influenza A<sub>2</sub> epidemic of that year. Recent excess mortality has been greater in the Middle and South Atlantic States

with further increases during the week ending February 9, 1963.

During the last four weeks the average weekly excess has been 106 deaths, 19 percent above expected levels.

i		WEEK	ENDING		4 Week	Weekly
	1/19	1/26	2/2	2/9	Tatal	Average
Observed	637	611	652	705	2,605	651
Expected	541	545	547	548	2,181	545
Excess	96	66	105	157	424	106



## Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES. UNITED STATES FOR WEEKS ENDED

### FEBRUARY 9, 1963 AND FEBRUARY 10, 1962

	Polio	myelitis,	, total c	ases	Pol:	iomyeliti	s, paraly	ytic	Poliomy nonpara	elitis, lytic		ptic ngitis	
Area	Enh	week		lative 6 weeks	6th	week	1	lative 6 weeks	6th week 6th		6th	ı week	
	1963	1962	1963	1962	1963	1962	1963	1962	1963	1962	1963	196	
UNITED STATES	6	6	23	52	5	2	20	32		_	15	11	
											15	1	
TEW ENGLAND	-	_	_	_	-	_	_		_	-	-	'	
Maine New Hampshire	-		[	[			[		_	_	-		
Vermont		_	_	_		_	_	-		-			
Massachusetts	-	-	-	-	-	-	-	-	-	-	-		
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	ŀ	
Connecticut	-	-	-	-	-	-	-	-	-	-	-		
IDDLE ATLANTIC	1	3	3	23	1	1	3	13	-	-	1		
New York	1	3	2	23	1	1	2	13	••	-	-		
New Jersey Pennsylvania	-	-	1	-	-	-	1	-	-	-	1		
AST NORTH CENTRAL	_	1	6	5	_	-	5	4	_	-	1	:	
Ohio	-	_	2	3	-	-	1	3	-	-	-		
Indiana	-	-	-	1	-	-	-	1	-	-	-	١ .	
Illinois	-	1	4	1	••	-	4	-	-	-	1		
Michigan	-	-	-	-	-	-	-	-	-	-	-	1	
Wisconsin	-	-	-	-	-	-	-	-	-	-	-		
EST NORTH CENTRAL	-	-	-	4	-	-	-	1	-	-	-		
Minnesota	-	-	-	-	-	-	-	-	-	-	-		
Iowa	-	-	-	2	-	-	-	-1	-	-	-		
Missouri North Dakota	-	-	-	2	-	-	-	-	-	-	-	1	
South Dakota	-	-	_	_	_		_		-		_		
Nebraska			_		_		_	_	_	_	_		
Kansas	-	-	-	-	-	-	-	-	-	-	-		
OUTH ATLANTIC	-	1	1	5	_	-	1	4	-	_	2		
Delaware	-	- '	- '	-	-	-	-	-	-	-	-		
Maryland	-	-	-	-	-	-	-	-	-	-	-	1	
District of Columbia Virginia	-	1	-	1	-	-	-	1	-	-	-		
West Virginia	-	_		1 -	-	_	_		-		2	l .	
North Carolina	-	-	1	1	-		1	1	_	_	-		
South Carolina	-	-	-	-	-	-	-	_	-	-	-		
Georgia	-	-	-	-	-	-	-	-	-	-	-		
Florida	-	-	-	2	-	-	-	2	-	-	-		
AST SOUTH CENTRAL	-	-	1	2	-	-	-	1	-	-	5		
Kentucky	-	-	-	-	-	-	-	-	-	-	4		
Tennessee	-	-	-	1	-	-	-	- 1	-	-	1		
Alabama	_		1 -	1 -	-	_	-	1 -	-		_		
		_	_								_		
TEST SOUTH CENTRAL	4	1	9	6	4	1	9	5	-	-	-		
Louisiana	3	1	8	2	3	1	8	2		-	_		
Oklahoma	3 -		-	_	3	-	-	_		_			
Texas	1	_	1	4	1	-	1	3	-	-	-		
MOUNTAIN	_	_	_	3	_			2	_	_	1		
Montana		-	-	2		-	_	1		-			
Idaho	-	- !	-	-	-	-	-	-	-	-	-		
Wyoming	-	-	-	-	-	-	-	-	-	-	-		
Colorado	-	-	-	-	-	-	-	-	-	-	-		
New Mexico	-	-	•	-	-	-	-	-	-	-	-		
Arizona	-	-	-	1	-	_	_ :	1	_	-	1 -		
Nevada	-	-	_	-	_	-	-	-	-	-	-		
ACIFIC	1	_	3	4	_	_	2	2	_	_	5		
Washington		_		-		_	-	-					
Oregon		-	-	-		-	-	-		-			
California	1	-	3	4	-	-	2	2	-	-	5		
Alaska	-	-	-	-	-	-	-	-	-	-	-		
Hawaii	-	-	-	-	-	-		-	-	-	-		

### Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

FEBRUARY 9, 1963. AND FEBRUARY 10, 1962 - (Continued)

	Brucel	losis	Diphth	eria	Encepha infect		infe		Hepatitis, tious and serum		Meas	les
Area		Cumu-		Cumu-				6th	week			
	6th week	lative 6 weeks	6th week	lative 6 weeks	6th	week	Under 20 yr.	20 & over	To	tal	6th	week
	1963_	1963	1963	1963	1963	1962	1963	1963	1963	1962	1963	1962
UNITED STATES	9	31	4	36	23	23	688	392	1,188	1,515	11,172	12,404
NEW ENCLAND	-	-	-	1	2	2	110	68	186	75	348	1,983
Maine New Hampshire	-	-	-	-	_	-	59	29	89 16	11	18	294
Vermont		_		_		-				14		120 25
Massachusetts	-	-	-	1	1	i -	29	21	52	36	76	1,007
Rhode Island	-	-	-	-	-	2	l . <del>.</del>	-		8	25	43
Connecticut	-	-	-	-	1	-	14	15	29	6	227	494
MIDDLE ATLANTIC	-	2	2	5	3	6	146	88	234	173	1,052	1,662
New York	-	2	-	2	-	1	97	60	157	81	611	823
New Jersey Pennsylvania	-	_ [	1 1	1 2	3	<b>-</b> 5	14 35	13 15	27 50	40 52	141 300	546 293
			-	-			33	1.5	30	32	300	2,5
EAST NORTH CENTRAL	-	·1	-	2	2	4	108	75	189	390	4,794	1,330
Ohio Indiana	-	-	-	-	1 -	-	22 10	18	42	140	645	69
Illinois	-	1	-	2	1	2	44	11	61	49 73	199 380	210 500
Michigan	-	-	-	-	_	2	31	29	60	103	1,315	366
Wisconsin	-	-	-	-	-	-	1	4	5	25	2,255	185
WEST NORTH CENTRAL	9	24	-	9	1	_	16	11	30	108	1,540	275
Minnesota	1	2	-	1	-	-	3	3	8	37	125	29
Iowa Missouri	7	18	-	1	-	-	4	2	6	25	824	96
North Dakota	1	. 1	-	-		_	3 3	4	7 4	23 2	198 387	· 124
South Dakota	-	2	-	6	1	-	_	_	-	9	6	21
Nebraska	-	1	-	1	-	-	2	1	4	2	-	1
Kansas	-	-	-	-	-	-	1	-	1	10	NN	NN
SOUTH ATLANTIC	_		_	9	4	4	98	48	158	223	803	877
Delaware	-	-	-	-			-	2	2	1	7	-
Maryland District of Columbia	-	-	-	-	2	1	19	8	31	36	34	140
Virginia	-	- 1	-	- 1	1	1 1	2 21	12	40	6 56	1 148	25 335
West Virginia	_	-	-	-	-	-	13	4	18	38	320	219
North Carolina	-	-	-	1	1	-	31	10	41	61	88	33
South Carolina Ceorgia	-	-	-	2	-	-	6	-	6	6	49	31
Florida	_	-	-	1 4		1	6	4 8	14	6 13	156	12 82
EAST SOUTH CENTRAL	-	1 -	1 -	6 . -	1	1 -	74	29	120	223	712	1,399
Tennessee		- !	-	1	1 -	_	28 28	13	45 41	63 78	447 195	163 1,146
Alabama	-	1	1	5	-	-	10	9	19	57	31	44
Mississippi	-	-	-	-	-	1	8	7	15	25	39	46
WEST SOUTH CENTRAL	_	2	_	3	_	5	68	26	98	121	586	3,032
Arkansas	-	1	-	1	_	1	12	1	13	20	24	58
Louisiana	-	-	-	-	-	-	13	9	23	18	-	6
Oklahoma	-	1	-	2	-	-	8	3	11	12		55
Texas	-	-	-	2	-	4	35	13	51	71	562	2,913
MOUNTAIN	-	1	-	-	2	-	28	12	98	78	629	731
Montana		-		-		-				5		213
Idaho	- 1			-	-	_	_	_	11	16	44	23
Colorado	-	-	-	-	-	-	7	2	28	1 20	1 194	228
New Mexico	-	-	-	-	-	-	9	4	13	8	NN	NN
Arizona Utah	-	-	-	-	-	-	-	-	27	15	152	88
Nevada:	-	1 -	-	-	2	-	12	6	18 1	12 1	215 23	64 115
PACIFIC	_	_	1	1	8	1	40	35	75	124	708	
Washington				-		1		35		124	708	1,115 410
Oregon		-		-						20		273
California	-	-	1	1	8	-	32	34	66	78	326	393
Alaska Hawaii	-	-	-	-	-	_	8	1	9 -	10	197 185	33 6
											103	
Puerto Rico	_	-	1	1	-	-	9	3	12	8	19	

# Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

### FEBRUARY 9, 1963 AND FEBRUARY 10, 1962 - (Continued)

	Mening Infect	ococcal ions	Strepto Sore Th Scarlet	roat &	Tetanus	Tickborne Typhus (Rcky Mt.	Tularemia	Typhoio	i Fever	Rabie	s in Anim	als
Area	6th wk.	Cumu- lative 6 weeks	6th	week	6th wk.	Spotted) 6th wk.	6th wk.	6th wk.	Cumu- lative 6 weeks	6th	week	Cumu- lative 6 weeks
	1963	1963	1963	1962	1963	1963	1963	1963	1963	1963	1962	1963
UNITED STATES	67	331	10,231	9,081	3	-	3	4	29	63	73	329
NEW ENGLAND	7	29	1,323	691	_	_	_	1	2	_	_	_
Maine	3	6	205	30	-	-	-	-	-	-	-	-
New Hampshire		1 1	9	2 36			-	·-	1 -		-	-
Vermont	2	10	192	206				1	2			
Rhode Island	-	3	101	57	-	-	-	-	-	-	-	-
Connecticut	2	9	816	360	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	5	39	701	650	1	_	_	_	4	3	4	14
New York	) -	16	410	357	-	-	-	-	4	3		13
New Jersey		7	124	115	-	-	-	-	-	-	7	<u> </u>
Pennsylvania	1	16	167	178	1	-	-	-	-	-	4	1
EAST NORTH CENTRAL	10	56	1,131	942	-	-	-	-	-	16	18	49
Ohio	3	17	147	197	-	-	-	-	-	10	8	24
Indiana	- 5	11 9	252 221	184 137	_	-	-	-	-	1 3	6	5
Michigan	2	13	256	128	_			_		2	2	7
Wisconsin	-	6	255	296	-	-	-	-	-	-	1	2
12300 MANUAL AND MANUAL		1 ,,	270	010								
WEST NORTH CENTRAL Minnesota	2 -	16	372 22	342 42	_			-	1 -	15 2	20	74 17
Iowa	-	-	126	84	_	-	-	_	-	6	8	22
Missouri	-	7	9	10	-	-	-	· -	1	5	3	20
North Dakota South Dakota	-	1	158	125	-	-	-	-	-	-	3	2
Nebraska	2	2 4	7	9	-	_	_	-	-	2	5 -	13
Kansas	-	-	49	<b>7</b> 2	_	_	-	_	-	_	-	_
								_				
SOUTH ATLANTIC Delaware	20	78	891 5	689 5	_	_	3	2	6	13	11	62
Maryland	6	13	47	21	_	-		1	2	_	-	] [
Dist. of Columbia	-	1	3	3	-	-	-	-	-	-	-	-
Virginia West Virginia	6	17	371 245	231 120	-	-	1	- 1	1	5	9	23
North Carolina	4	14	35	43	_	_	_	-	1 1	7	2 -	24
South Carolina	-	5	67	110	-	-	-	-		-	-	-
Georgia	4	4	7	27	-	-	2	-	-	-	-	-
Florida	-	18	111	129	-	-	-	-	2	1	-	13
EAST SOUTH CENTRAL	3	25	1,378	1,657	_	-	-	-	3	7	7	31
Kentucky	-	6	170	162	-	-	-	-	- 1	4	2	12
Tennessee	2	12 4	1,0 <b>7</b> 1 43	1,376 21	_	- 1		-	3	3	5 -	17
Mississippi	_	3	94	98	-	-		-	-	-	-	-
LECE COMMI OF THE AT												
WEST SOUTH CENTRAL Arkansas	3	31	1,080	1,191	1 -			1 1	8	6	11	55 5
Louisiana	2	9	5	9	1	-		-	-	1	1	8
Oklahoma	-	7	37	60	-	-	-	-	-	-	-	4
Texas	-	12	1,015	1,120	-	-	-	-	2	5	7	38
MOUNTAIN	7	14	2,225	2,065	_	_	_	_	1	_	1	5
Montana		-		60					-		-	-
Idaho	-	-	283	182	-	-	-	-	-	600	-	-
Colorado	1	3	42 1,146	143 947	-	-	-	-	-	_	-	
New Mexico	2	2	339	293	_	_	-	_	1	_	-	2
Arizona	1	3	154	233	-	-	-	-	-	-	1	3
Utah Nevada	2	5	249 12	20 <b>7</b>	-	-	-	-	-	-	-	-
	1	1	12		_	_						
PACIFIC	10	43	1,130	854	1	-	-	-	4	3	1	39
Washington Oregon		3		477					1		_	-
California	9	34	957	61 230	1				3	3	1	38
Alaska	í	4	74	43	_	-	-	-	-	-	-	-
Hawaii		-	99	43	-	-	-		-	:		
Puerto Rico	_	-	2	2	4	-	-	-	-	-	-	1

Table 4 (B). REPORTED PNEUMONIA-INFLUENZA DEATHS IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period.) $^{\circ}$ 

		For week	s ending		A	For weeks ending				
Area	1/19	1/26	2/2	2 2/9 Area		1/19	1/26	2/2	2/9	
NEW ENCLAND:					SOUTH ATLANTIC:					
Boston, Mass	7	10	8	5	Atlanta, Ca	5	7	0	3	
Bridgeport, Conn	9	2	4	3	Baltimore, Md	12	16	28	35	
Cambridge, Mass	0	0	0	0	Charlotte, N.C	5	1	2	6	
Fall River, Mass	1	2	1	1	Jacksonville, Fla	1	4	0	4	
Hartford, Conn	2	1 2	0	4 0	Miami, Fla	0	2	2	2	
Lowell, MassLynn, Mass	3 0	2	1 1	2	Norfolk, Va	9	5 5	0 9	7 15	
New Bedford, Mass	2	1	ō	2	Richmond, Va Savannah, Ca	3	1	4	3	
New Haven, Conn	2	0	2	4	St. Petersburg, Fla	4	5	4	4	
Providence, R.I	6	1	7	3	Tampa, Fla	3	6	i	Ö	
Somerville, Mass	3	0	0	2	Washington, O.C	8	21	21	22	
Springfield, Mass	6	6	4	6	Wilmington, Del	3	7	4	7	
Waterbury, Conn	0	0	0	0						
Worcester, Mass	4	1	6	5	EAST SOUTH CENTRAL:	2		_		
MIDDLE ATLANTIC:					Birmingham, Ala	3 6	8 2	5	3 8	
Albany, N.Y	2	1	0	1	Chattanooga, Tenn Knoxville, Tenn	0	3	0	3	
Allentown, Pa	0	4	2	4	Louisville, Ky	18	13	16	16	
Buffalo, N.Y	6	7	7	6	Memphis, Tenn	6	5	5	7	
Camden, N.J	4	3	4	3	Mobile, Ala	2	4	2	1	
Elizabeth, N.J	1	0	1	2	Montgomery, Ala	3	3	0	7	
Erie, Pa	1	3	6	4	Nashville, Tenn	5	4	1	6	
Jersey City, N.J	13	7	7	11	THOS COVER COVER A					
Newark, N.J	7	3	12	3	WEST SOUTH CENTRAL:	11	7	7	-	
New York City, N.Y Paterson, N.J	91 4	103	118	130	Austin, Tex Baton Rouge, La	3	3	ó	5 2	
Philadelphia, Pa	24	20	11	21	Corpus Christi, Tex	1	2	o	1	
Pittsburgh, Pa	3	4	8	5	Dallas, Tex	6	7	9	6	
Reading, Pa	0	o	ō	0	El Paso, Tex	4	4	4	0	
Rochester, N.Y	16	8	13	12	Fort Worth, Tex	3	4	3	4	
Schenectady, N.Y	1	1	2	0	Houston, Tex	5	6	8	7	
Scranton, Pa	3	3	2	1	Little Rock, Ark	8	4	6	1	
Syracuse, N.Y	1	2	1	3	New Orleans, La	10	8	6	6	
Trenton, N.J	1	7	4	2	Oklahoma City, Okla	3 12	7	1 12	0	
Utica, N.Y Yonkers, N.Y	6 1	4 2	0 5	5 5	San Antonio, Tex Shreveport, La	7	10	4	5	
ionacio, militari	1	_	,	١٠٥	Tulsa, Okla	7	6	4	4	
EAST NORTH CENTRAL:										
Akron, Ohio	3	0	2	0	MOUNTAIN:					
Canton, Ohio	8	1	2	2	Albuquerque, N. Mex	6	4	7	10	
Chicago, Ill	42	34	48	42	Colorado Springs, Colo Denver, Colo	2 1	1	0	1	
Cleveland, Ohio	4 2	3 5	12 2	4 8	Ogden, Utah	1	10	7	12	
Columbus, Ohio	5	4	10	7	Phoenix, Ariz	4	12	5	5	
Dayton, Ohio	2	1	4	2	Pueblo, Colo	0	0	ő	ő	
Detroit, Mich	13	19	18	21	Salt Lake City, Utah	3	1	2	1	
Evansville, Ind	3	6	1	4	Tucson, Ariz	3	1	3	6	
Flint, Mich	3	2	4	6						
Fort Wayne, Ind	5	2	3	3	PACIFIC:					
Crand Rapids Mich	3	3	3	0	Berkeley, Calif	0	1	0	1 /	
Crand Rapids, Mich Indianapolis, Ind	5	3	2	4	Fresno, Calif	1 0	3	4 0	4	
Madison, Wis	7 1	11 2	2	4	Glendale, Calif Honolulu, Hawaii	1	2	0	2	
Milwaukee, Wis	3	4	5	2	Long Beach, Calif	0	0	5	0	
Peoria, Ill	0	0	0	1	Los Angeles, Calif	24	21	19	23	
Rockford, Ill	1	6	3	4	Oakland, Calif	1	1	1	0	
South Bend, Ind	1	1	1	7	Pasadena, Calif	1	1	0	0	
Toledo, Ohio	3	3	4	4	Portland, Oreg	4	3	1	1	
Youngstown, Ohio	1	1	1	0	Sacramento, Calif	4	3	5	6	
VEST NORTH CENTRAL:					San Diego, Calif	5	7	6	7	
Des Moines, Iowa	2	_	2	2	San Francisco, Calif San Jose, Calif	5	7	5	4	
Duluth, Minn	2 0	2	2	3	Seattle, Wash	3 6	5	7	2	
Kansas City, Kans	7	0 5	0 8	0 11	Spokane, Wash	0	0	0	6	
Kansas City, Mo	13	15	12	13	Tacoma, Wash	0	1	2	2*	
Lincoln, Nebr	1	5	3	4	-		-	-	4	
Minneapolis, Minn	ō	l í	3	2	San Juan, P.R	2	2	1	()	
Omaha, Nebr	3	1	5	3						
St. Louis, Mo	14	12	14	9	0-	100				
St. Paul, Minn	4	1	3	1	Current Week Mortality fo	or 108 Se	lected C	ities		
Wichita, Kans	/1	1 3	5	Q						

8

\*Estimate - based on average percent of divisional total.
Totals for previous weeks include reported corrections.

Wichita, Kans.....

NOTE: All deaths by place of occurrence.

OCurrent Week Mortality for 108 Selected Cities

Ohia - Epidemic febrile respiratory disease, clinically compatible with influenza, has been reported from the cities of Cincinnati, Springfield and Dayton during the week ending February 8. Laboratory studies are in progress.

(Reported by Dr. Winslow Bashe, Acting Chief, Division of Communicable Diseases. Ohio Department of Health.)

Massachusetts - An outbreak of febrile respiratory disease clinically resembling influenza has occurred at a college in western Massachusetts. The outbreak began abruptly on February 11. Laboratory specimens are under study.

(Reported by Dr. Nicholas J. Fiumara, Director, Division of Communicable Diseases, Massachusetts Department · of Public Health.)



INTERNATIONAL NOTES - QUARANTINE MEASURES

No additional pertinent information or changes

Communicable Disease Center Atlanta 22, Georgia

Official Business

HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE S. DEPARTMENT OF



Ç.